

Case Submitted Online

## REMOVABLES

DOCTOR \_\_\_\_\_

STREET \_\_\_\_\_

CITY, STATE/COUNTRY, ZIP \_\_\_\_\_

TELEPHONE \_\_\_\_\_

EMAIL ADDRESS \_\_\_\_\_

SIGNATURE \_\_\_\_\_ DATE \_\_\_\_\_

*Please construct and deliver the dental restoration described here.*

### CASE DESIGN (Check all that apply)

- Denture
- Duplicate Denture
- Cast Partial


#### PROCEDURE:

- Bite Blocks
- Bite Block On Frame
- Set-up/try-in
- Cast Frame Try-In
- Acrylic Try-In
- Reline
- Soft Reline
- Rebase
- Reset
- Repair
- Finish
- Bleach Tray
- Custom Tray

Please mark the diagram with the following:

○ = Implant location

X = Attachment location



PATIENT'S NAME \_\_\_\_\_ M F

PLEASE SEND: Rx  Fixed Restoration  Removable

AGE \_\_\_\_\_  AIRBILLS  BOXES

DATE DUE	LAB USE ONLY	
SHIPPING GUIDELINES ON THE BACK	CASE NO.	SHIP DATE
	NOTICE SENT	

### REMOVABLE PARTIAL DENTURES\*

- Cast Partial  TCS  Valplast  Acrylic Partial Framework
- Shade: \_\_\_\_\_ Flexible Clasp Shade: \_\_\_\_\_
- Space Saver Shade: \_\_\_\_\_  Ultraire

\*Partial dentures are fabricated using Vitallium 2000+.

### MATERIAL SPECIFICATIONS

#### TEETH TYPE:

- Economy
- Premium

#### BASE ACRYLIC:

- IVO Base
- Other: \_\_\_\_\_

SHADE: \_\_\_\_\_ Shade Guide Used: \_\_\_\_\_

MOLD: Ant: \_\_\_\_\_ Post: \_\_\_\_\_

READINGS: Alameter: \_\_\_\_\_ Papillameter: \_\_\_\_\_

Lip line marked on bite rim: Yes  No

### IMPLANT RESTORATIONS

Type of implant(s) used: \_\_\_\_\_

Size: \_\_\_\_\_ Need Screws: Yes  No

#### DESIRED RESTORATION TYPE:

- Overdenture** (denture acrylic base and teeth with attachment)

Type Attachment: \_\_\_\_\_

Cast Strengtheners: Yes  No

- Hybrid** (screw retained acrylic base and teeth)

Cast Bar: Yes  No  Milled Titanium Bar: Yes  No

- Cementable** (porcelain layed on frame)

Type: Noble White  High Noble White  Zirconia

### OTHER PRODUCTS

#### MOUTHGUARDS/ORTHOTICS/SPLINTS:

- Flat Orthotic  Hard Splint
- Anatomical Orthotic  Hard/Soft Splint
- Gelb/Mora Splint  Essix® Retainer
- Pro-form Sportsguard
- Soft Guard

#### APPLIANCE:

- Herbst™
- EMA®
- Other

### SPECIAL INSTRUCTIONS

May we adjust opposing if necessary?  Yes  No  
 May we open bite only if necessary?  Yes  No  
 Opposing to be restored in the future?  Yes  No

NOTES: \_\_\_\_\_

**All products proudly handcrafted in the U.S.A.**

© 2017 Arrowhead Dental Laboratory R12/17

